

S2201



Sweet Cake Station

S2201 Instruction Manual

NOTICE OF ASSEMBLE

Tips for assembling

1. Because this product contains small parts, children need to use this product with an adult to avoid accidental ingestion and cause suffocation hazard. There are sharp objects in the product, be careful not to pierce people to avoid injury.
2. After all the materials are used in the required amount in the operation steps, put the remaining materials back into the original bag until the installation is completed. (Avoid losing materials during the installation process)
3. The unit of dimension marked in the step diagram is "cm".
4. Tips for making template paper: Put the template on the back of the material, fix it with some small double-sided tape, and then cut out the material to prevent the cloth or template from moving in the cutting process, or causing errors in the cut material. Or lead to insufficient materials.
5. According to the "Parts Rule Example" at the bottom of this page, refer to the parts on the part number drawing, find the actual product and compare it with the bill of materials, and then install it after confirming that it is correct. (Wooden parts only)
6. It is not advisable to apply too much glue, so as not to wait for a longer time to dry, and overflow will affect the effect of the finished product.
7. There are unavoidable small deviations in the color of wood, fabric, and beads of different batches, without notice, thanks for understanding.

Tips for Assembling Wood



Find the corresponding block number, use a knife in the connection point gently press, you can take out the wood.

Use a knife to smooth out the burr.

Or use sandpaper to smooth out the burr

Testing on LED function

Be sure to test the LED lights before making the lighting, note that the LED white wire to the negative, gray wire to the positive reference to the following figure operation test.

1




DO NOT contact the LED wire end direct to the battery cell.

2



Use the provide battery holder. Make sure the correct polarity.

How to assemble the battery holder



1. Material and tools needed:
- Battery holder, LED bulb, tape, screw driver and 2 pieces AAA size battery(not provided)

2. Use screw driver and take the lid off from the battery holder.

3. Insert the battery take notes on the polarity.

4. Connect the red wire to grey wire. Connect the black wire to white wire.

5. Wrap the exposed wire with the tapes.

6. Place the box lid and fastness with screw driver.


Examples of parts rule:

A01: The parts are directly in the box; B01: The parts are in the B bag; C01: The parts are in the C bag, and so on (Note: The printing paper is displayed in the step A08-1: The printing paper is placed directly in the box, The part number is A08-1. In the step, the template paper A09-E01 is displayed, A09 is the template paper, E01 is the cutting template used for the corresponding material, E01-1, E01-2 are the part numbers for the parts, and the printing paper and template paper are directly placed in the packaging box.)


Contents

| Name | Materials Package |
|--------------------------------|--|
| Printing paper& Template paper | A bag A08,A09 (all printing paper are set in A08,all template paper are set in A09;total 5 pieces of A5 paper) |
| Cashier | A bag +B bag +E bag +Fbag+printing paper page 3 |
| Table | C bag +E bag +F bag+printing paper+template paper page 4 |
| Canopy& Nameplate | B bag +D bag +printing paper page 4 |
| Chair | A bag +D bag +E bag+template paper page 5 |
| Cake cabinet | C bag +E bag +F bag+printing paper+template paper page 5-7 |
| Flower basket | A bag +E bag +printing paper page 7-8 |
| Flower&Sign& Catalogue board | A bag +B bag +D bag +E bag +printing paper page 8 |
| Light | D bag +F bag +G bag page 9 |
| outer frame | A bag +printing paper page 9-10 |
| Installation Of Battery Box | G bag page 10 |
| dust cover | Z bag back cover |

Thumbnail of material list (reference only)



Thumbnail of printing paper & template paper (reference only)



Symbol description used



Install parts in the opposite direction



Install the same parts on both sides



Pay attention to the direction of installation material A stick to material A



Pay attention to the direction of installation material A stick to material B



combination part according to the symbols



combination part according to the symbols



Fold in half according to dotted line



fold double edge to center dotted line



Fold four sides to the middle

About the use of glue

Method for using glue:

1. After applying the glue, let it dry for a few seconds before pasting.
2. Fix it slightly with your hands, and finally put it aside to dry;









Tips:

1. When pasting the plane printing paper, a piece of waste bank card or telephone card can be used to wipe evenly after the glue is smeared on the wood board, and then the printing paper is pasted to squeeze out the air inside.
2. In the process of making glue, you need to wait for the glue to dry, the next component can be assembled at the same time;

Types of glue:

- White latex: Used for adhering soft materials, such as wood and paper.
- Alcoholic Glue: Used for adhering hard materials such as cloth, plastic, beads, wire, dust cover, etc.

Cashier







Please cut out the E02,E04 according the template paper of A09-E02,A09-E04 before making

Table

| | | | | | |
|---|---|--|---|--|--|
|  <p>C08 C09 C10 C11 C11 C12 C13</p> <p>F02 F02 F04 F05 F05 A08-17 F10 F11 F12 F08 (colour) (8pieces) A08-14 A08-15 E04-1 E02-1</p> | <p>1</p>  <p>E04-1</p> <p>Cut into 8 copies</p> | <p>2</p>  <p>E04-1 F08(colour)</p> <p>F08 is placed in E04-1 for wrapping</p> | <p>3</p>  <p>Need 8pieces</p> | <p>4</p>  <p>F04</p> <p>Fixed</p> | <p>5</p>  <p>C12 C13</p> |
| <p>10</p>  <p>A08-15 F05 A08-14 (Pudding cake) need 2pieces</p> | <p>11</p>  <p>C10 C09</p> | <p>12</p>  <p>C08</p> | <p>13</p>  <p>E02-1</p> | <p>14</p>  | <p>15</p>  <p>A08-17 (Pudding cake) F02</p> |
| <p>Canopy&Nameplate</p>  <p>A08-3 B03 D10 B03 A08-9</p> | <p>1</p>  <p>(back side) A08-3</p> <p>2</p>  <p>B03 B03</p> | <p>3</p>  <p>(front view)</p> | <p>4</p>  <p>D10 A08-9 Paste</p> | <p>5</p>  <p>A08-9</p> | |

Chair

Please cut out the E01, E03 according the template paper of A09-E01, A09-E03 before making



Cake cabinet



Please cut out the E06 according the template paper of A09-E06 before making










F08 (colour)
(3 pieces)



F09 (1.2cm)







23



24






25



26



Flower basket



1



Place and fix as shown in the figure

2



Roll up and paste

3



Paste complete

4




Petal finishing and forming,
4 branches are required

5



The orange rose is made
by the above method

6



7



Fold as shown

8




fix as shown



Fold in



round and paste



Fold in



Paste it as picture



Place A11 roses as shown in the figure



Place A11 leaves as shown in the figure

flower&signs
Catalogue boards&

A11
E09
B05
B04
A08-33
A08-31 A08-32
A08-8 D09 A08-4

1
E09(Trimmed, refer to page 3)

Pull out the pink petals of A11, take one and put it into E09, fix it with glue and pinch it tightly

2
3

Second penetration A11
Three pieces are required to penetrate into the third piece A11

4

Place as shown in the figure, roll up and paste

5

Roll up paste complete

6

Fold as shown

A08-33-1

7

Paste

A08-33-1

8

A08-33-2

9

Insert flowers

10

Paste

D09
A08-8

11

12

Paste A08-4

B04

13

Paste














14

B05

Light



outer frame




18



Hide the light wire into the trunking and thread it into the base

19



Paste

20



Catalogue board

21



22



Catalogue board

Canopy

23




Cashier

24



Cake cabinet

25



Table


Chair

26



Flower basket

27



Flower


Nameplate

How to assemble the battery holder

Statement: the lamp wires cannot be inserted into the output socket.

- Can use 2*AAA batteries
- Please notice the place of anode and cathode when put in the batteries
- Rechargeable batteries are not blunt electricity
- Rechargeable batteries can only be charged under adult supervision
- Rechargeable batteries should be removed from the toy before charging
- Different types of batteries cannot mix Do not mix new batteries in use with semi-used batteries.
- Run out of battery should be removed from the toy
- The power shall not be short circuit

1




cut all the LED light wires to the same length

2



peel off the film of the LED light wires and then wrap it together in the same color.

3



Twist the following wire together:
(I) BLACK wire from the battery box with the WHITE wire from LED bulb.
(II) RED wire from the battery box with the GREY wire from LED bulb.

4




Wrap the bare wires with adhesive tape G04. Make sure the LED lights are on.

Installation of dust cover


dust cover
(Upgrade version accessories need to be purchased separately)




scale:1:5
Z01 plexiglass (transparent)
9.4*9.4*0.18cm (1 piece)




scale:1:5
Z02 plexiglass (transparent)
13*9*0.18cm (2 pieces)



scale:1:5
Z03 plexiglass (transparent)
13*9.4*0.18cm (2 pieces)



stick Z02 and Z03 on Z01




stick five pieces of plexiglass dust cover as shown

Ripped one side of kraft paper, leaving one side of kraft paper




Take out the plexiglass and tear off the kraft paper with text on each piece of plexiglass




The kraft paper that has been ripped off faces inwards, and the kraft paper that has not been ripped off faces outwards.



Use G04 to fix the junction of two pieces of plexiglass. (use transparent tape to replace G04)




The junction of every two pieces of plexiglass needs to be fixed with G04 (to prevent the plexiglass falling off)




stick appropriate amount of glue to the interface of the two pieces of glass and scrape it slightly to make the glue penetrate into the junction of the two pieces of glass (the red line is the plexiglass interface)




The junction of two pieces of plexiglass needs to be fixed with G04 (to prevent the plexiglass falling off)




stick appropriate amount of glue to the interface of the two pieces of glass and scrape it slightly to make the glue penetrate into the junction of the two pieces of glass (the red line is the plexiglass interface)




The junction of two pieces of plexiglass needs to be fixed with G04 (to prevent the plexiglass falling off)



stick appropriate amount of glue to the interface of the two pieces of glass and scrape it slightly to make the glue penetrate into the junction of the two pieces of glass (the red line is the plexiglass interface)



the dust cover need to be glued 8 interfaces



Leave it for 1 hour. After the glue dries out, tear off a layer of kraft paper outside the plexiglass